

Nota de Serviço Tabela

Calçada 1 Calçada 1 0+0.000 19+1.816

Lado Esquerdo			Eixo						Lado Direito					
Daylight			Estaca	Pontos Notáveis da Geometria Horizontal	Pontos Notáveis da Geometria Vertical	Cota Projeto	Cota Terreno	Cota Vermelha	Calçada			Daylight		
Afast. (m)	Cota (m)	Incl. (%)							Afast. (m)	Cota (m)	Incl. (%)	Afast. (m)	Cota (m)	Incl. (%)
-0.165	249.985	-130.26	0+0.000			250.200	249.999	0.201	3.000	250.170	-1.00			
-0.014	250.101	-449.43	0+5.217	PC		250.165	250.102	0.063	3.000	250.135	-1.00			
-0.020	250.082	-350.21	0+7.181			250.152	250.084	0.068	3.000	250.122	-1.00			
-0.134	249.955	-137.22	0+9.145	PT		250.139	249.960	0.179	3.000	250.109	-1.00			
-0.954	249.062	-105.24	1+0.000			250.067	249.064	1.003	3.000	250.037	-1.00	3.008	249.165	-11,295.86
-1.024	248.939	-104.88	1+8.007	PC		250.013	248.942	1.071	3.000	249.983	-1.00	3.009	248.936	-11,055.08
-1.035	248.905	-104.83	1+11.377			249.991	248.914	1.077	3.000	249.961	-1.00	3.009	248.915	-11,057.22
-1.050	248.868	-104.76	1+14.748	PT		249.968	248.874	1.094	3.000	249.938	-1.00	3.009	248.892	-11,056.15
-1.090	248.794	-104.59	2+0.000			249.933	248.800	1.133	3.000	249.903	-1.00	3.010	248.818	-11,014.28
-0.758	248.992	-106.60	3+0.000			249.800	248.993	0.807	3.000	249.770	-1.00	3.007	248.974	-11,436.21
-0.818	249.215	-106.11	3+18.595	PC		250.083	249.222	0.861	3.000	250.053	-1.00	3.007	249.239	-11,400.68
-0.794	249.261	-106.30	4+0.000			250.105	249.258	0.846	3.000	250.075	-1.00	3.007	249.243	-11,366.44
-0.790	249.269	-106.33	4+0.232			250.108	249.265	0.844	3.000	250.078	-1.00	3.007	249.244	-11,360.89
-0.700	249.383	-107.14	4+1.870	PT		250.133	249.305	0.828	3.000	250.103	-1.00	3.008	249.247	-11,321.97
-0.086	250.372	41.86	4+15.164	PC		250.336	250.375	-0.040	3.000	250.306	-1.00			
-0.047	250.363	-5.28	4+17.112			250.365	250.363	0.003	3.000	250.335	-1.00			
-0.058	250.371	14.36	4+19.059	PT		250.363	250.371	-0.009	3.000	250.333	-1.00			
-0.066	250.374	24.44	5+0.000			250.358	250.375	-0.016	3.000	250.328	-1.00			
-0.142	250.360	64.84	6+0.000			250.268	250.359	-0.091	3.000	250.238	-1.00			
-0.059	250.236	14.78	6+8.998	PC		250.227	250.236	-0.009	3.000	250.197	-1.00			
-0.113	250.259	55.56	6+15.616			250.197	250.258	-0.062	3.000	250.167	-1.00			
-0.468	249.655	-110.67	7+0.000			250.173	249.719	0.454	3.000	250.143	-1.00			
-0.812	249.299	-106.16	7+2.235	PT		250.161	249.285	0.876	3.000	250.131	-1.00	3.005	249.504	-11,896.06
-0.915	249.157	-105.46	7+9.506	PC		250.122	249.160	0.962	3.000	250.092	-1.00	3.008	249.169	-11,215.60
-0.911	249.126	-105.49	7+15.937			250.087	249.131	0.956	3.000	250.057	-1.00	3.008	249.148	-11,234.93
-0.899	249.116	-105.56	8+0.000			250.065	249.122	0.943	3.000	250.035	-1.00	3.008	249.141	-11,258.06
-0.888	249.115	-105.63	8+2.368	PT		250.053	249.120	0.932	3.000	250.023	-1.00	3.008	249.139	-11,276.57
-1.004	248.904	-104.98	9+0.000			249.958	248.910	1.048	3.000	249.928	-1.00	3.009	248.928	-11,111.20
-1.199	248.601	-104.17	10+0.000			249.850	248.628	1.222	3.000	249.820	-1.00	3.010	248.688	-10,968.70
-1.132	248.685	-104.42	11+0.000			249.867	248.684	1.183	3.000	249.837	-1.00	3.011	248.674	-10,941.08
-1.217	248.608	-104.11	11+10.079	PC		249.875	248.612	1.263	3.000	249.845	-1.00	3.011	248.632	-10,898.38
-1.243	248.588	-104.02	11+16.471			249.880	248.581	1.299	3.000	249.850	-1.00	3.011	248.650	-10,908.73
-1.197	248.637	-104.18	12+0.000			249.883	248.644	1.239	3.000	249.853	-1.00	3.011	248.672	-10,924.83
-1.147	248.688	-104.36	12+2.863	PT		249.886	248.681	1.205	3.000	249.856	-1.00	3.011	248.688	-10,936.80
-1.065	248.777	-104.70	12+9.803	PC		249.892	248.802	1.089	3.000	249.862	-1.00	3.010	248.730	-10,969.37
-0.123	249.970	59.48	12+15.553			249.896	249.968	-0.072	3.000	249.866	-1.00			
-0.132	249.982	62.26	13+0.000			249.900	249.982	-0.082	3.000	249.870	-1.00			
-0.133	249.992	62.45	13+1.303	PT		249.909	249.992	-0.083	3.000	249.879	-1.00			
-0.104	250.038	51.77	13+11.775			249.984	250.037	-0.053	3.000	249.954	-1.00			
-0.103	250.059	51.62	13+14.823			250.006	250.059	-0.053	3.000	249.976	-1.00			
-0.019	249.994	-166.05	13+17.592			250.026	250.000	0.026	3.000	249.996	-1.00			
-0.402	249.590	-112.42	14+0.000			250.043	249.711	0.332	3.000	250.013	-1.00			
-0.652	249.350	-107.67	14+1.295			250.052	249.548	0.504	3.000	250.022	-1.00			
-0.980	249.051	-105.10	14+5.388			250.081	249.324	0.758	3.000	250.051	-1.00			
-0.513	249.552	-109.75	15+0.000			250.115	249.646	0.469	3.000	250.085	-1.00			
-0.584	249.467	-108.56	15+1.948	PC		250.101	249.575	0.527	3.000	250.071	-1.00			
-0.585	249.466	-108.55	15+2.086			250.100	249.567	0.533	3.000	250.070	-1.00			
-0.587	249.463	-108.52	15+2.223	PT		250.099	249.556	0.544	3.000	250.069	-1.00			
-1.561	248.452	-103.20	15+7.399	PC		250.063	248.468	1.596	3.000	250.033	-1.00			
-2.307	247.618	-102.17	16+0.000			249.975	247.529	2.446	3.000	249.945	-1.00	3.025	247.341	-10,399.27
-1.484	248.301	-103.37	17+0.000			249.835	248.315	1.520	3.000	249.805	-1.00	3.014	248.282	-10,702.77
-1.466	248.300	-103.41	17+2.680			249.816	248.311	1.506	3.000	249.786	-1.00	3.014	248.280	-10,710.85
-1.727	248.023	-102.90	18+0.000			249.800	248.106	1.694	3.000	249.770	-1.00	3.015	248.126	-10,647.51
-1.053	248.697	-104.75	18+17.961	PT		249.800	248.415	1.385	3.000	249.770	-1.00	3.016	248.102	-10,637.50
-1.249	248.501	-104.00	19+0.000			249.800	248.213	1.587	3.000	249.770	-1.00	3.015	248.134	-10,651.04
-1.434	248.316	-103.49	19+1.816			249.800	248.483	1.317	3.000	249.770	-1.00	3.016	248.093	-10,634.21

Calçada 2 Calçada 2 0+0.000 23+17.342

Lado Esquerdo			Eixo						Lado Direito					
Daylight			Estaca	Pontos Notáveis da Geometria Horizontal	Pontos Notáveis da Geometria Vertical	Cota Projeto	Cota Terreno	Cota Vermelha	Calçada			Daylight		
Afast. (m)	Cota (m)	Incl. (%)							Afast. (m)	Cota (m)	Incl. (%)	Afast. (m)	Cota (m)	Incl. (%)
-1.796	247.954	-102.78	0+0.000			249.800	247.795	2.005	3.000	249.770	-1.00	3.013	248.339	-10,751.25
-1.233	248.397	-104.06	1+0.000			249.680	248.402	1.278	3.000	249.650	-1.00	3.011	248.417	-10,882.60
-1.007	248.568	-104.97	1+9.281	PC		249.624	248.580	1.045	3.000	249.594	-1.00	3.009	248.592	-11,108.58
-0.567	248.956	-108.81	1+17.852			249.573	249.163	0.410	3.000	249.543	-1.00	3.006	250.133	10,000.00
-0.167	249.677	69.97	2+0.000			249.560	249.746	-0.186	3.000	249.530	-1.00	3.006	250.109	10,000.00
-0.505	249.977	90.10	2+6.423	PT		249.521	249.977	-0.456	3.000	249.491	-1.00			
-0.283	249.667	82.35	3+0.000			249.433	249.761	-0.328	3.000	249.403	-1.00			
-0.159	249.409	68.59	4+0.000			249.300	249.409	-0.109	3.000	249.270	-1.00			
-0.254	249.171	80.33	5+0.000			248.967	249.168	-0.202	3.000	248.937	-1.00			
-0.231	248.964	78.36	5+17.721	PC		248.783	248.964	-0.180	3.000	248.753	-1.00			
-0.217	248.947	76.96	5+19.530			248.780	248.944	-0.165	3.000	248.750	-1.00			
-0.215	248.943	76.69	6+0.000			248.779	248.941	-0.162	3.000	248.749	-1.00			
-0.212	248.938	76.46	6+1.339	PT		248.776	248.936	-0.160	3.000	248.746	-1.00			
-0.338	249.035	85.23	6+14.734	PC		248.747	249.069	-0.322	3.000	248.717	-1.00	3.006	249.302	10,000.00
-0.237	248.449	-121.09	7+0.000			248.736	248.454	0.281	3.000	248.706	-1.00	3.007	249.392	10,000.00
-0.209	248.474	-123.91	7+1.199			248.733	248.479	0.254	3.000	248.703	-1.00	3.005	249.213	10,000.00
-0.305	248.975	83.63	7+7.664	PT		248.719	248.943	-0.224	3.000	248.689	-1.00			
-0.224	248.419	-122.37	8+0.000			248.693	248.423	0.270	3.000	248.663	-1.00			
-0.278	248.322	-118.01	9+0.000			248.650	248.323	0.327	3.000	248.620	-1.00			
-0.192	248.362	-126.05	10+0.000			248.604	248.363	0.240	3.000	248.574	-1.00			
-0.365	248.882	86.31	10+15.979	PC		248.567	248.883	-0.316	3.000	248.537	-1.00			
-0.020	248.528	-145.28	11+0.000			248.558	248.530	0.028	3.000	248.528	-1.00			
-0.647	249.150	92.27	11+1.877			248.553	249.161	-0.608	3.000	248.523	-1.00			
-1.055	249.544	95.26	11+7.774	PT		248.540	249.109	-0.570	3.000	248.510	-1.00	3.006	249.126	10,000.00
-0.021	248.482	-140.26	12+0.000			248.512	248.482	0.029	3.000	248.482	-1.00			
-0.021	248.482	-142.35	12+0.052	PC		248.511	248.482	0.030	3.000	248.481	-1.00			
-0.016	248.470	-211.74	12+3.497			248.503	248.469	0.034	3.000	248.473	-1.00			
-0.021	248.471	-140.87	12+6.941	PT		248.500	248.471	0.029	3.000	248.470	-1.00			
-0.004	248.454	-1,113.56	12+10.766	PC		248.500	248.454	0.046	3.000	248.470	-1.00			
-0.006	248.456	-790.60	12+12.430			248.500	248.456	0.044	3.000	248.470	-1.00			
-0.019	248.469	-168.23	12+14.094	PT		248.500	248.468	0.032	3.000	248.470	-1.00			
-0.525	248.975	90.48	13+0.000			248.500	248.934	-0.434	3.000	248.470	-1.00			
-0.273	248.723	81.67	13+11.464	PC		248.500	248.674	-0.174	3.000	248.470	-1.00			
-0.114	248.564	56.29	13+16.515			248.500	248.540	-0.040	3.000	248.470	-1.00	3.009	249.344	10,000.00
-0.182	248.632	72.59	14+0.000			248.500	248.632	-0.132	3.000	248.470	-1.00	3.009	249.364	10,000.00
-0.023	248.473	-119.83	14+1.566	PT		248.500	248.473	0.027	3.000	248.470	-1.00	3.006	249.072	10,000.00
-0.096	248.354	-151.91	15+0.000			248.500	248.356	0.144	3.000	248.470	-1.00			
-0.076	248.374	-165.91	16+0.000			248.500	248.375	0.125	3.000	248.470	-1.00			
-0.051	248.501	1.03	16+15.437	PC		248.500	248.501	-0.001	3.000	248.470	-1.00			
-0.046	248.496	-9.37	16+19.290			248.500	248.496	0.004	3.000	248.470	-1.00			
-0.046	248.496	-9.40	17+0.000			248.500	248.496	0.004	3.000	248.470	-1.00			
-0.049	248.499	-2.16	17+3.143	PT		248.500	248.499	0.001	3.000	248.470	-1.00			
-0.111	248.561	54.91	18+0.000			248.500	248.561	-0.061	3.000	248.470	-1.00			
-0.133	248.583	62.42	18+4.288	PC		248.500	248.582	-0.082	3.000	248.470	-1.00			
-0.142	248.592	64.81	18+5.920			248.500	248.593	-0.093	3.000	248.470	-1.00			
-0.149	248.599	66.48	18+7.552	PT		248.500	248.600	-0.100	3.000	248.470	-1.00			
-0.117	248.707	57.40	19+0.000			248.640	248.709	-0.069	3.000	248.610	-1.00			
-0.296	248.949	83.13	20+0.000			248.702	248.937	-0.234	3.000	248.672	-1.00			
-0.497	248.994	89.95	21+0.000			248.546	248.963	-0.416	3.000	248.516	-1.00			
-0.823	249.164	93.93	22+0.000			248.391	249.117	-0.726	3.000	248.361	-1.00	3.006	248.968	10,000.00
-0.878	249.063	94.30	23+0.000			248.235	249.053	-0.818	3.000	248.205	-1.00	3.008	249.023	10,000.00
-0.955	249.005	94.76	23+17.342			248.100	249.017	-0.917	3.000	248.070	-1.00	3.010	249.053	10,000.00

Via Via 0+0.000 5+15.911

Lado Esquerdo			Eixo						Lado Direito					
Daylight			Afast. (m)	Cota (m)	Incl. (%)	Estaca	Pontos Notáveis da Geometria Horizontal	Pontos Notáveis da Geometria Vertical	Cota Projeto	Cota Terreno	Cota Vermelha	Daylight		
Afast. (m)	Cota (m)	Incl. (%)										Afast. (m)	Cota (m)	Incl. (%)
-3.716	247.835	-10,000.00				0+0.000			250.000	249.235	0.765			
-3.709	248.335	-10,000.00				0+13.221	PC		249.820	248.426	1.394			3.707
-3.709	248.293	-10,000.00				1+0.000			249.728	248.299	1.429			3.709
						1+14.763			249.650	248.679	0.971			3.708
						2+0.000			249.650	248.706	0.944			3.710
-3.709	248.225	-10,000.00				2+16.305	PT		249.650	248.411	1.239			
-3.711	248.026	-10,000.00				3+0.000			249.650	248.483	1.167			
-3.711	248.016	-10,000.00				3+0.153	PC		249.650	248.486	1.164			

-3.711	248.000	-10,000.00				3+10.023			249.650	248.298	1.352						
-3.711	248.133	-10,000.00				3+19.892	PT		249.756	248.505	1.251				3.705	249.735	10,000.00
-3.711	248.135	-10,000.00				4+0.000			249.757	248.516	1.241				3.705	249.732	10,000.00
-3.709	248.505	-10,000.00				5+0.000			249.988	248.523	1.466						
-3.709	248.611	-10,000.00				5+6.733	PC		250.066	248.639	1.427						
-3.709	248.630	-10,000.00				5+9.328			250.096	248.683	1.413						
-3.709	248.648	-10,000.00				5+11.923	PT		250.126	248.949	1.177				3.706	250.191	10,000.00
						5+15.911			250.172	250.172	0.000				3.706	250.226	10,000.00